

Appendix A1

COMBINED DOT DENSITY AND DOT SIZE MODULATION

Zhen He
Charles A Bouman
Qian Lin

10003284
M-8658 US

```
/* amfm_8bit.c file */

/* 8 bits/pixel am/fm halftoning algorithm (with partial doting) */
/* Image length and width are assumed to be multiple of 8 */
/* One row serpentine TDED with suppressing each other dot */
/* The output is a tiff file containing 8bit pwm codes */

#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include <time.h>
#include "coef.h"
#include "tiff.h"
#include "allocate.h"

void amfm(unsigned int,unsigned int,unsigned char *,unsigned char *,\
          short *,unsigned char **,TDEDPARA *,short *,short *);
void amfm_ed_8bits(unsigned int,unsigned int,unsigned char **,unsigned char**,\
                   unsigned char **,TDEDPARA *,short *,short *);
int main(int argc, char ** argv)
{
    int i,j;
    unsigned int height,width;
    FILE * fp;
    struct TIFF_img input_img, output_img, mid;
    time_t first, second;
    TDEDPARA *tdedpara = &TDEDcoeff[0];
    short *dotdensityLUT = &OptDensityLUT[0];
    short *dotsizeLUT = &OptSizeLUT[0];

    if(argc<3) {
        printf("usage: %s input_img.tif output_img.tif\n",argv[0]);
        return 1;
    }

    /* read the input image */
    if ((fp=fopen(argv[1], "rb"))==NULL) {
```

004280"06/51960

004280-06254960

```
    printf("can not open file %s 1\n",argv[1]);
    exit(2);
}
if(read_TIFF(fp,&input_img)) {
    printf("error reading input file\n");
    exit(3);
}
fclose(fp);

if((fp=fopen("dbshalf.tif", "rb"))==NULL) {
    fprintf(stderr, "can not open file: dbshalf.tif\n");
    exit(1);
}
if(read_TIFF(fp,&mid))
{
    fprintf(stderr, "error reading file\n");
    exit(1);
}
fclose(fp);

/* Set variable to do timing of algorithm */
first = time(NULL);

/* Modify image width to make sure each strip is multiple of 8 */
width = floor(input_img.width/8)*8;
height = floor(input_img.height/8)*8;

/* Allocate memory for entire fm output image. */
get_TIFF( &output_img, height, width, 'g' );

amfm_ed_8bits(height,width,input_img.mono,output_img.mono,\
               mid.mono,tddedpara,dotdensityLUT,dotsizeLUT);

/* show the run time */
second = time(NULL);
fprintf(stdout,"\nFinished AM/FM and writing results.\n");
fprintf(stdout,"Cum. run time: %f sec.\n",difftime(second,first));

/* write PWM codes image */
if( (fp = fopen(argv[2],"wb"))==NULL) {
    printf ("cannot open file %s\n", argv[2]);
    exit(4);
}

if(write_TIFF(fp,&output_img)) {
    printf ("Error writing TIFF file %s\n", argv[2]);
    return 1;
}
fclose(fp);

/* free the space */
free_TIFF(&(output_img));
free_TIFF(&(input_img));
free_TIFF(&(mid));
fflush(stdout);
return 0;
}
```

```

void amfm_ed_8bits(
    unsigned int height,      /* Input image height */
    unsigned int width,       /* Input image width */
    unsigned char ** contone_img, /* Input image [height][width] */
    unsigned char ** token_img, /* Output token image [height][width] */
    unsigned char ** dbs_screen, /* DBS screen used in thresholding of fm
part */
    TDEDPARA *tdedpara,       /* Tone-dependent error diffusion parameters */
    short *dotdensityLUT,      /* Optimal dot density curve */
    short *dotsizeLUT)         /* Optimal dot size curve */
{
    short *fm_err;
    unsigned int i,j;

    /* initialize first row of fm error buffer */
    srand(1); /* fix the seed */
    fm_err = (short*)malloc(sizeof(short) * (width+2));
    for(j = 0; j<width+2; j++)
        fm_err[j] = (rand()%128-64); /* initialization */

    /* Process the input image with 2 rows each time */
    for(i=0; i<height; i+=2) {
        if((i%600) == 0) printf("amfm_ed: starting row %d\n", i);
        amfm(width,i,contone_img[i],token_img[i],fm_err,dbs_screen,\
            tdedpara,dotdensityLUT,dotsizeLUT);
    }

    free(fm_err);
    return;
}

/* This subroutine only processes 2 rows */
/* Assume width of image is multiple of 8 */
void amfm(
    unsigned int width,      /* Input image width */
    unsigned int i,          /* ith row */
    unsigned char *img_in,    /* ith row of input image array */
    unsigned char *img_out,   /* ith row of output image array */
    short *fm_err,           /* FM error buffer */
    unsigned char ** dbs_screen, /* dbs_screen[SCREENHEIGHT][SCREENWIDTH] */
    TDEDPARA *tdedpara,      /* Tone-dependent error diffusion parameters */
    short *dotdensityLUT,    /* Optimal dot density curve */
    short *dotsizeLUT)       /* Optimal dot size curve */
{
    short fm_tmp,thresholding;
    short *fm_err_ptr,*tded_ptr;
    short pixela, pixelb, output;
    int j;
    unsigned char *img_in_ptr, *img_out_ptr, *dbs_pat_rowptr;
    short dotdensity, mod_input, error;
    short W1, W2, W3, W4, T2, DT, e1, e2, e3, e4;
    FILE *fp;

    /*-----*/

```

```

/* serpentine even rows */
/*-----*/
/* initial points */
fm_tmp = 0;
fm_err_ptr = fm_err+1;
img_in_ptr = img_in;
img_out_ptr = img_out;

dbs_pat_rowptr = dbs_screen[(i++)%SCREENHEIGHT]; /* Inverse dbs pattern */

/* Index through pixels in pairs */
for(j = 0; j<width; j=j+2 ) {

    /* First process FM (dot density) for left pixel in pixel pair. */

    /* Get first pixel */
    pixela = *(img_in_ptr++);

    /* Use look-up-table to get dot density */
    dotdensity = dotdensityLUT[pixela];

    /* Compute look-up table entries for tone dependent error diffusion */
    tded_ptr = (short*)(tdedpara + dotdensity);
    T2 = *(tded_ptr++);
    DT = *(tded_ptr++);
    W1 = *(tded_ptr++);
    W2 = *(tded_ptr++);
    W3 = *(tded_ptr++);
    W4 = *tded_ptr;

    /* compute dotdensity modified by diffused error */
    mod_input = dotdensity + *fm_err_ptr;

    /* Threshold modified dotdensity */
    thresholding = mod_input - (dbs_pat_rowptr[j%SCREENWIDTH] * DT + T2);
    output = (thresholding > 0) ? 255 : 0;

    /* Compute weighted errors */
    error = output - mod_input;
    e1 = (W1 * error)>>8;
    e2 = (W2 * error)>>8;
    e3 = (W3 * error)>>8;
    /*e4 = (W4 * error)>>8;*/
    e4 = error - e1 - e2 - e3;
    /* Diffuse error forward in 1-D error buffer */
    * (--fm_err_ptr) -= e4;
    * (++fm_err_ptr) = fm_tmp - e3;
    * (++fm_err_ptr) -= e1;
    fm_tmp = -e2;

    /* Now process FM (dot density) for right pixel in pixel pair. */
    /* Use same TDED parameters as for left pixel. */

    /* Get second pixel */
    pixelb = *(img_in_ptr++);

    /* Use look-up-table to get dot density */

```

004280 06257960

```

dotdensity = dotdensityLUT[pixelb];

mod_input = dotdensity + *fm_err_ptr;
error = - mod_input; /* suppress dot firing at this pixel */

e1 = (W1 * error)>>8;
e2 = (W2 * error)>>8;
e3 = (W3 * error)>>8;
/*e4 = (W4 * error)>>8;*/
e4 = error - e1 - e2 - e3;
/* Using the tded weights of the left pixel */
*(--fm_err_ptr) -= e4;
*(++fm_err_ptr) = fm_tmp - e3;
*(++fm_err_ptr) -= e1;
fm_tmp = -e2;

/* Begin section on dot size rendering with partial doting */
if(output) {
    /* Left pixel */
    *(img_out_ptr++) = (dotsizeLUT[pixela]>>1)+NEWRIGHT;
    /* Right pixel */
    if(dotsizeLUT[pixela] & 1) /* Take care of quantization error */
        *(img_out_ptr++) = ((dotsizeLUT[pixelb]+1)>>1) + NEWLEFT;
    else
        *(img_out_ptr++) = (dotsizeLUT[pixelb]>>1) + NEWLEFT;
}
else {
    *(img_out_ptr++) = NEWRIGHT;
    *(img_out_ptr++) = NEWLEFT;
}
} /* end of ith row */

/*-----*/
/* serpentine odd rows */
/*-----*/
fm_tmp = 0;
/* Set fm error buffer pointer to the end of fm_err buffer */
fm_err_ptr = fm_err+ width - 1; /* offset by 1 */
img_in_ptr = img_in+width*2-2;
img_out_ptr = img_out+width*2-1;
*img_out_ptr = NEWRIGHT; /* Take care of the last pixel in odd row */
img_out_ptr -= 2;

dbs_pat_rowptr = dbs_screen[i%SCREENHEIGHT];

/* Index through pixels in pairs */
for(j = width-2; j > 0; j=j-2) {
    /* First process FM (dot density) for right pixel in pixel pair */

    /* Get right pixel */
    pixela = *(img_in_ptr--);

    /* Use look-up-table to get dot density */
    dotdensity = dotdensityLUT[pixela];

    /* Compute look-up table entries for tone dependent error diffusion */

```

```

tded_ptr = (short*)(tdedpara + dotdensity);

T2 = *(tded_ptr++);
DT = *(tded_ptr++);
W1 = *(tded_ptr++);
W2 = *(tded_ptr++);
W3 = *(tded_ptr++);
W4 = *tded_ptr;

/* Compute dotdensity modified by diffused error */
mod_input = dotdensity + *fm_err_ptr;

/* suppress this dot and compute the error */
error = - mod_input;

/* Compute weighted errors */
e1 = (W1 * error)>>8;
e2 = (W2 * error)>>8;
e3 = (W3 * error)>>8;
/*e4 = ((W4 * error)>>8);*/
e4 = error - e1 - e2 -e3;

/* duffuse error forward in 1-D error buffer */
*(++fm_err_ptr) -= e4;
*(--fm_err_ptr) = fm_tmp - e3;
*(--fm_err_ptr) -= e1;
fm_tmp = -e2;

/* Now process FM (dot density) for Left pixel in a pair */

/* Get second pixel */
pixelb = *(img_in_ptr--);

/* Use look-up-table to get dot density */
dotdensity = dotdensityLUT[pixelb];

mod_input = dotdensity + *fm_err_ptr;

/* Threshold modified dotdensity */
thresholding = mod_input - (dbs_pat_rowptr[(j-1)%SCREENWIDTH] * DT + T2);
output = (thresholding > 0) ? 255 : 0;

error = output - mod_input;

e1 = (W1 * error)>>8;
e2 = (W2 * error)>>8;
e3 = (W3 * error)>>8;
/*e4 = (W4 * error)>>8;*/
e4 = error - e1 - e2 -e3;

*(++fm_err_ptr) -= e4;
*(--fm_err_ptr) = fm_tmp - e3;
*(--fm_err_ptr) -= e1;
fm_tmp = -e2;

/* Begin section on dot size rendering with partial doting */
if(output) {

```

```

/* Left pixel */
*(img_out_ptr++) = (dotsizeLUT[pixelb]>>1) + NEWRIGHT;
/* Right pixel */
if(dotsizeLUT[pixelb] & 1) /* Take care of quantization error */
    *img_out_ptr = ((dotsizeLUT[pixela]+1)>>1) + NEWLEFT;
else
    *img_out_ptr = (dotsizeLUT[pixela]>>1) + NEWLEFT;
}
else {
    *(img_out_ptr++) = NEWRIGHT;
    *img_out_ptr = NEWLEFT;
}
img_out_ptr -= 3;
}
*(++img_out_ptr) = NEWLEFT; /* Take care of the first column */
return;
}

```

004230 06254360

Appendix A2

COMBINED DOT DENSITY AND DOT SIZE MODULATION

Zhen He
Charles A Bouman
Qian Lin

10003284
M-8658 US

```
/* coef.h file */

#define SCREENHEIGHT 128
#define SCREENWIDTH 128

#define NEWRIGHT 0xc0
#define NEWLEFT 0x40
#define NEWCENTER 0x00

#define F1 0x0007 /* Floyd-Steinberg Weights 7/16 in Q4 */
#define F2 0x0003 /* Floyd-Steinberg Weights 3/16 in Q4 */
#define F3 0x0005 /* Floyd-Steinberg Weights 5/16 in Q4 */
#define F4 0x0001 /* Floyd-Steinberg Weights 7/16 in Q4 */

typedef struct TDEDPARA
{
    short T2;
    short DT;
    short W1;
    short W2;
    short W3;
    short W4;
} TDEDPARA;

static TDEDPARA TDEDcoeff[129]={
    {76, 0, 181, 0, 3, 72},
    {76, 0, 181, 0, 3, 72},
    {79, 0, 172, 1, 2, 81},
    {80, 0, 161, 14, 18, 63},
    {82, 0, 159, 1, 37, 59},
    {83, 0, 149, 6, 5, 96},
    {83, 0, 141, 30, 0, 85},
    {85, 0, 138, 13, 0, 105},
    {86, 0, 144, 10, 1, 101},
    {85, 0, 129, 48, 3, 76},
    {86, 0, 123, 31, 1, 101},
    {87, 0, 123, 29, 3, 101},
```

004280" 06/5/96


```

{87, 0, 115, 28, 5, 108},
{89, 0, 138, 19, 18, 81},
{89, 0, 111, 17, 51, 77},
{88, 0, 115, 31, 0, 110},
{87, 0, 120, 16, 16, 104},
{88, 0, 139, 12, 0, 105},
{89, 0, 122, 19, 17, 98},
{90, 0, 112, 32, 0, 112},
{91, 0, 98, 34, 20, 104},
{90, 10, 123, 16, 26, 91},
{93, 8, 126, 1, 74, 55},
{89, 10, 89, 26, 71, 70},
{89, 10, 89, 22, 43, 102},
{89, 12, 91, 21, 34, 110},
{88, 12, 85, 24, 30, 117},
{88, 14, 85, 23, 30, 118},
{84, 24, 113, 27, 13, 103},
{82, 26, 113, 33, 0, 110},
{83, 26, 109, 29, 9, 109},
{84, 28, 106, 21, 29, 100},
{85, 28, 103, 13, 56, 84},
{96, 2, 102, 16, 57, 81},
{93, 6, 102, 25, 28, 101},
{91, 12, 102, 24, 32, 98},
{96, 2, 103, 24, 23, 106},
{94, 10, 99, 17, 62, 78},
{95, 6, 110, 12, 110, 24},
{97, 4, 114, 12, 112, 18},
{97, 6, 114, 11, 113, 18},
{96, 8, 111, 14, 110, 21},
{94, 12, 102, 17, 109, 28},
{94, 8, 79, 32, 108, 37},
{95, 6, 74, 35, 110, 37},
{97, 2, 70, 35, 111, 40},
{97, 4, 68, 33, 112, 43},
{97, 6, 69, 28, 112, 47},
{98, 6, 70, 22, 114, 50},
{97, 6, 68, 43, 113, 32},
{100, 4, 68, 22, 114, 52},
{99, 6, 71, 24, 112, 49},
{102, 2, 70, 23, 114, 49},
{100, 6, 68, 23, 114, 51},
{100, 8, 66, 22, 116, 52},
{100, 8, 66, 24, 116, 50},
{96, 16, 75, 0, 122, 59},
{95, 16, 63, 0, 127, 66},
{95, 16, 56, 0, 130, 70},
{97, 14, 56, 0, 132, 68},
{97, 16, 59, 0, 132, 65},
{97, 16, 60, 0, 133, 63},
{98, 16, 62, 0, 133, 61},
{95, 26, 98, 0, 109, 49},
{97, 20, 65, 0, 132, 59},
{98, 18, 61, 0, 132, 63},
{99, 18, 63, 0, 131, 62},
{100, 16, 58, 0, 133, 65},
{100, 16, 58, 0, 131, 67},

```

```

{101, 16, 60, 0, 131, 65},
{101, 16, 63, 0, 129, 64},
{101, 16, 58, 0, 129, 69},
{102, 16, 71, 0, 123, 62},
{103, 8, 68, 23, 114, 51},
{103, 8, 66, 22, 116, 52},
{105, 6, 68, 22, 115, 51},
{106, 4, 70, 22, 114, 50},
{108, 2, 69, 23, 113, 51},
{105, 8, 68, 22, 114, 52},
{108, 6, 70, 20, 115, 51},
{106, 8, 69, 27, 112, 48},
{109, 2, 65, 35, 112, 44},
{110, 4, 69, 34, 111, 42},
{110, 6, 72, 35, 110, 39},
{114, 0, 73, 34, 111, 38},
{110, 12, 94, 21, 108, 33},
{111, 12, 102, 15, 110, 29},
{116, 6, 114, 10, 113, 19},
{96, 16, 92, 16, 67, 81},
{100, 12, 95, 17, 67, 77},
{101, 12, 97, 19, 67, 73},
{99, 4, 101, 20, 45, 90},
{93, 4, 103, 25, 25, 103},
{94, 8, 101, 25, 33, 97},
{78, 24, 99, 26, 19, 112},
{81, 26, 104, 22, 24, 106},
{82, 26, 102, 26, 25, 103},
{91, 26, 109, 14, 46, 87},
{104, 10, 82, 0, 95, 79},
{107, 8, 83, 0, 97, 76},
{105, 8, 87, 2, 84, 83},
{81, 14, 86, 27, 25, 118},
{99, 12, 122, 0, 37, 97},
{102, 10, 117, 0, 45, 94},
{103, 10, 90, 21, 64, 81},
{105, 12, 122, 4, 51, 79},
{101, 12, 126, 9, 29, 92},
{88, 12, 121, 25, 0, 110},
{85, 12, 114, 25, 1, 116},
{89, 10, 109, 23, 10, 114},
{86, 12, 112, 29, 1, 114},
{89, 12, 119, 31, 0, 106},
{94, 10, 123, 37, 1, 95},
{93, 8, 117, 63, 1, 75},
{99, 6, 118, 75, 9, 54},
{97, 6, 120, 43, 3, 90},
{111, 6, 121, 35, 32, 68},
{95, 6, 116, 54, 0, 86},
{107, 6, 125, 39, 15, 77},
{93, 34, 137, 27, 19, 73},
{85, 44, 139, 33, 16, 68},
{87, 48, 146, 31, 23, 56},
{87, 44, 148, 22, 10, 76},
{93, 40, 152, 22, 11, 71},
{97, 44, 159, 4, 28, 65},
{95, 42, 161, 25, 4, 66},

```

```
{103, 48, 176, 3, 44, 33},
{101, 56, 165, 27, 55, 9},
{97, 56, 165, 27, 55, 9},
};
```

```
static short OptSizeLUT[256]={
120,
118,
117,
115,
114,
112,
111,
109,
108,
106,
105,
104,
102,
101,
100,
99,
97,
96,
95,
94,
93,
92,
91,
90,
90,
89,
88,
87,
86,
86,
85,
84,
84,
83,
82,
82,
81,
81,
80,
80,
79,
79,
78,
78,
77,
77,
77,
76,
76,
76,
75,
```

09645790 082400

[illegible]

[illegible]

004280" 06454960

69,
69,
69,
69,
69,
69,
69,
69,
69,
69,
69,
68,
68,
68,
68,
68,
67,
67,
67,
66,
66,
66,
65,
65,
65,
64,
64,
63,
63,
62,
62,
61,
61,
60,
60,
59,
59,
58,
58,
57,
57,
56,
56,
55,
55,
54,
54,
53,
53,
52,
52,
52,
51,
51,
50,
50,

004280" 06257960

49,
49,
48,
48,
48,
47,
47,
46,
46,
46,
45,
45,
44,
44,
44,
43,
43,
43,
42,
42,
42,
42,
41,
41,
41,
40,
40,
40,
39,
39,
39,
38,
38,
38,
};

```
static short OptDensityLUT[256]={  
128,  
127,  
126,  
125,  
124,  
123,  
122,  
121,  
120,  
119,  
119,  
118,  
117,  
117,  
116,  
115,  
115,  
114,  
114,  
113,
```

004280" 06254960

113,
112,
112,
111,
111,
110,
110,
110,
109,
109,
109,
108,
108,
108,
107,
107,
107,
107,
107,
106,
106,
106,
106,
106,
105,
105,
105,
105,
105,
105,
105,
104,
104,
104,
104,
104,
104,
104,
104,
104,
103,
103,
103,
103,
103,
103,
103,
103,
102,
102,
102,
102,
102,
102,
102,
102,
101,

004280" 06254960

101,
101,
101,
101,
100,
100,
100,
100,
99,
99,
99,
99,
98,
98,
98,
97,
97,
97,
96,
96,
96,
95,
95,
94,
94,
93,
93,
93,
92,
92,
91,
91,
90,
90,
90,
89,
89,
88,
88,
87,
87,
86,
86,
85,
85,
84,
84,
84,
83,
83,
82,
82,
81,
81,
80,
80,
79,

004280" 06454960

79,
78,
78,
77,
77,
76,
76,
75,
75,
74,
74,
73,
73,
72,
72,
71,
71,
70,
69,
69,
68,
68,
67,
67,
66,
66,
66,
65,
65,
64,
64,
63,
63,
63,
62,
62,
61,
61,
61,
60,
60,
60,
59,
59,
59,
58,
58,
58,
57,
57,
57,
56,
56,
56,
56,
55,
55,

004280" 06254960

55,
54,
54,
54,
54,
53,
53,
53,
52,
52,
52,
51,
51,
51,
50,
50,
50,
49,
49,
49,
48,
48,
47,
47,
46,
46,
45,
45,
44,
44,
43,
43,
42,
41,
41,
40,
39,
38,
38,
37,
36,
35,
34,
33,
32,
31,
30,
29,
28,
27,
26,
25,
23,
22,
21,
20,
18,

17,
15,
14,
12,
10,
8,
6,
0,
};

09645790.082400
004280"06254960